AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

- 1. (original): A rubber composition characterized by containing 5-60 parts by mass of an aromatic vinyl compound-diene compound copolymer (B) having a weight average molecular weight of 5,000-300,000 (conversion to polystyrene through gel permeation chromatography) based on 100 parts by mass of a rubber component comprising at least one rubber of natural rubber and synthetic diene-based rubbers in which the copolymer (B) comprises 5-80 mass% of the aromatic vinyl compound and a vinyl bond content in diene compound portion is 10-80 mass%.
- 2. (original): A rubber composition according to claim 1, wherein the rubber component (A) comprises not less than 50 mass% of a styrene-butadiene copolymer rubber.
- 3. (currently amended): A rubber composition according to claim 1-or 2, wherein the rubber component (A) contains not less than 50 mass% of a styrene-butadiene copolymer (C) having a weight average molecular weight of 300,000-1,500,000, and the copolymer (C) comprises 20-60 mass% of an aromatic vinyl compound and has a vinyl bond content in diene compound portion of 10-80 mass%, and the copolymer (B) comprises 10-70 mass% of an

2

Koji MASAKI

Atty. Dkt.: Q96962

Preliminary Amendment

aromatic vinyl compound, and a difference in aromatic vinyl compound content between the copolymer (C) and the copolymer (B) is not more than 30 mass%.

- 4. (original): A rubber composition according to claim 3, wherein the copolymer (C) is at least one of an emulsion-polymerized styrene-butadiene copolymer comprising not less than 20 mass% of an aromatic vinyl compound and a solution-polymerized styrene-butadiene copolymer comprising not less than 20 mass% of an aromatic vinyl compound and having a vinyl bond content in diene compound portion of not less than 10 mass%.
- 5. (currently amended): A rubber composition according to any one of claims 1 to 4 claim 1, wherein the aromatic vinyl compound of the copolymer (B) is styrene.
- 6. (currently amended): A rubber composition according to any one of claims 1 to 5claim 1, wherein the diene compound of the copolymer (B) is butadiene.
- 7. (currently amended): A rubber composition according to any one of claims 1 to 6claim 1, wherein the copolymer (B) is a solution-polymerized styrene-butadiene copolymer rubber.
- 8. (currently amended): A rubber composition according to any one of claims 1 to 7 claim 1, wherein the copolymer (B) has a weight average molecular weight of 20,000-200,000.

3

- 9. (currently amended): A rubber composition according to any one of claims 1 to 8claim 1, wherein the copolymer has a weight average molecular weight of 50,000-150,000.
- 10. (currently amended): A rubber composition according to any one of claims 1 to 9claim 1, which further contains 30-90 parts by mass of a filler based on 100 parts by mass of the rubber component (A).
- 11. (original): A rubber composition according to claim 10, wherein the filler is at least one of carbon black and silica.
- 12. (original): A rubber composition according to claim 11, wherein the carbon black is SAF class to HAF class.
- 13. (currently amended): A rubber composition according to any one of claims 1 to 12claim 1, wherein a total amount of the copolymer (B) and a softening agent is 5-80 parts by mass based on 100 parts by ass-mass of the rubber component (A).
- 14. (currently amended): A rubber composition according to any one of claims 1 to 13claim 1, wherein a total amount of the copolymer (B) and a softening agent is 5-60 parts by mass based on 100 parts by ass mass of the rubber component (A).